AUTHOR INDEX

Achterberg, A. Shock acceleration in disordered magnetic fields, **232**, 323
Aiad, A. *see* El-Nawawy, M.S.
Aitken, D.K. *see* Barlow, M.J.
Allen, D.A., Wright, A.E. A model of the symbiotic star RX Puppis, **232**, 683
Athanassoula, E. *see* Sygnet, J.F.
Atherton, P.D. *see* Reay, N.K.

Barlow, M.J., Roche, P.F., Aitken, D.K. The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of γ Velorum, **232**, 821
Beck,S., Brosch, N. MCG 06−45−001: a possible new member of the Local Group?, **232**, 27P
Berman, N.M., Stollman, G.M. Bimodal accretion in GX5-1 and a possible constraint on its rotation period, **232**, 487
Bond, I.A., Freeth, R.V. Spin-up and accretion in EX Hydrae during its quiescent state, **232**, 753
Bromage, G.E. *see* George, I.M.
Brosch, N. *see* Beck, S.
Busko, I.C., Steiner, J.E. Profiles of emission lines in AGN – I. Observations of [O III] lines, **232**, 525

Cameron, A.C. *see* Sparks, W.B.
Cannon, R.D. *see* Sagar, R.
Carballo, R., Eiroa, C., Mampaso, A. Near-infrared observations of GGD objects, **232**, 497
Catchpole, R.M. *see* Reid, N.
Cawson, M.G.M. *see* Davies, J.I.
Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G. The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375, **232**, 865
Cohn, H.N. *see* Murphy, B.W.
Collier, A. *see* Sparks, W.B.
Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J. The environment of active galactic nuclei – I. A two-component broad emission line model, **232**, 539
Córdova, F.A. *see* Mason, K.O.
Cowley, C.R., Greenberg, M. Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra, **232**, 763

Daly, R.A. Predictions in the condensate model of evolution of structures in the Universe, **232**, 853
Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J. Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III, **232**, 239
de Zeeuw, P.T., Lynden-Bell, D. Derivation of the density distribution in a prolate galaxy from the rotation curve (de Zeeuw, P.T., Lynden-Bell, D.), **232**, 419
Disney, M.J. *see* Davies, J.I.
Done, C. *see* Fabian, A.C.
Dyson, J.E. *see* Collin-Souffrin, S.

Efstathiou, G., Ellis, R.S., Peterson, B.A. Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function, **232**, 431
Eiroa, C. *see* Carballo, R.
El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A. Magnetic flux dissipation in a collapsing protostar, **232**, 809
El-Shalaby, M.A. *see* El-Nawawy, M.S.
Ellis, R.S. *see* Efstathiou, G.

Fabian, A.C., Done, C., Ghisellini, G. Photon-starved, pair-loaded compact sources and the X-ray background, **232**, 21P
Fernández-Feguerosa, M.J. *see* Montesinos, B.
Finn, L.S. Relativistic stellar pulsations in the Cowling approximation, **232**, 259
Fitzpatrick, R., Mestel, L. Pulsar electrodynamics – I, **232**, 277II, **232**, 303
Frank, J., Robertson, J.A. Numerical studies of the dynamical stability of differentially rotating tori, **232**, 1
Freeth, R.V. *see* Bond, I.A.

George, I.M., Warwick, R.S., Bromage, G.E. X-ray and ultraviolet observations of Markarian, 421, **232**, 793
Gerhard, O.E. Supermassive black hole or nuclear bar in M13?, **232**, 20P
Ghisellini, G. *see* Fabian, A.C.
Giménez, A. *see* Montesinos, B.
Glass, I.S. *see* Reid, N.
Gottwald, M. *see* Smale, A.P.
Greenberg, M. *see* Cowley, C.R.

Hanson, C.G. *see* Coe, M.J.
Hawkins, M.R.S. *see* Sagar, R.
Heavens, A. Tidal torques and local density maxima, **232**, 339
Henriksen, R.N. *see* Lattanzio, J.C.
Hilditch, R.W., King, D.J. Contact and near-contact binary systems – IX. EE Aquarii and RS Indi, **232**, 147
Ho, C. Angular momentum transfer in non-axisymmetric accretion, **232**, 91
Hobbs, R.W. *see* Salter, C.J.
Hougerat, A.A. *see* Regev, O.

Irwin, M.J. *see* Moss, C.

James, P.A. *see* Joseph, R.D.
Jones, A.W., Lyne, A.G. Timing observations of the binary pulsar PSR 0655+64, **232**, 473

Jones, J., Mitchell, J.B.A., McIntosh, B.A. Cluster ions and the meteor head echo, **232**, 771
Joseph, R.D., Wright, G.S., James, P.A., McLean, I.S. Do Markarian 'double nucleus' galaxies have two nuclei? The case of Mkn 788, **232**, 7P

Kerr, F.J. *see* Salter, C.J.
Kibblewhite, E.J. *see* Davies, J.I.
Kilkenny, D. Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris, **232**, 377
King, A.R. *see* Mason, K.O.
King, D.J. *see* Hilditch, R.W.
Knutsen, H. On the stability and physical properties of an exact relativistic model for a superdense star, **232**, 163

Lattanzio, J.C., Henriksen, R.N. Collisions between rotating interstellar clouds, **232**, 565
Lee, U. Overstable convective modes of differentially rotating massive main-sequence stars, **232**, 711
Livio, M., Verbunt, F. The response of the accretion disc radius to a temporary enhancement of mass transfer, **232**, 1P
Longmore, A. *see* Coe, M.J.
Lynden-Bell, D. *see* de Zeeuw, P.T.
Lyne, A.G. *see* Jones, A.W.

McDowell, J.C. *see* Collin-Souffrin, S.
McIntosh, B.A. *see* Jones, J.
McLean, I.S. *see* Joseph, R.D.
Mampaso, A. *see* Carballo, R.
Marano, B., Zamorani, G., Zitelli, V. A new sample of quasars to B=22.0, **232**, 111
Marraco, H. *see* Tapia, M.
Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R. The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst, **232**, 779
Mason, K.O. *see* Smale, A.P.
Mestel, L. *see* Fitzpatrick, R.
Michelson, P.F. *see* Wood, K.S.
Mitchell, J.B.A. *see* Jones, J.
Montesinos, B., Giménez, A., Fernández-Figueroa, M.J. General properties of RS CVn systems, **232**, 361
Moreno, E., Pişmiş, P. Ellipticity and twisting of isophotes in a dissimilar system, **232**, 705
Moss, C., Whittle, M., Irwin, M.J. An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367, **232**, 381
Mukai, K. Accretion streams in AM Her type systems, **232**, 175
Murphy, B.W., Cohn, H.N. Realistic models for evolving globular clusters: core collapse with a mass spectrum, **232**, 835

Norton, A.J. *see* Warwick, R.S.

Payne, B.J. *see* Coe, M.J.
Peacock, J. *see* Heavens, A.
Pellat, R. *see* Sygnet, J.F.
Peterson, B.A. *see* Efstathiou, G.
Phillipps, S. *see* Davies, J.I.
Pişmiş, P. *see* Moreno, E.
Pounds, K.A. *see* Turner, T.J.

Rawlings, J.M.C. Chemistry in the ejecta of novae, **232**, 507
Reay, N.K., Walton, N.A., Atherton, P.D. Molecular hydrogen emission from cold condensations in NGC 2440, **232**, 615
Regev, O., Hougerat, A.A. Accretion disc boundary layers – geometrically and optically thin case, **232**, 81
Reid, N., Glass, I.S., Catchpole, R.M. A survey for red variables in the LMC – II, **232**, 35
Robertson, J.A. *see* Frank, J.
Roche, P.F. *see* Barlow, M.J.
Roth, M. *see* Tapia, M.
Ruiz, M.T. *see* Tapia, M.

Sagar, R., Cannon, R.D., Hawkins, M.R.S. Photoelectric and electronographic photometry of the globular cluster NGC 1851, **232**, 131
Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W. Millimetre-wave continuum observations of the Galactic Centre, **232**, 407
Scarrott, S.M., Warren-Smith, R.F. Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex, **232**, 725
Schindler, K. *see* Wiechen, H.
Sinha, R.P. *see* Salter, C.J . . .
Smale, A.P., Mason, K.O., White, N.E., Gottwald, M. X-ray observations of the 50-min dipping source XB1916−053, **232**, 647
Sparks, W.B., Collier, A., Cameron, A.C. A relation between UV excess and the interstellar medium in elliptical galaxies, **232**, 215
Steiner, J.E. *see* Busko, I.C.
Stevens, I.R. An enhanced stellar wind accretion model for binary X-ray transients, **232**, 199
Stobie, E.B. *see* Salter, C.J.
Stollman, G.M. *see* Berman, N.M.
Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R. Non-linear coupling of spiral modes in disc galaxies, **232**, 733

Tagger, M. *see* Sygnet, J.F.
Tapia, M., Roth, M., Marraco, H., Ruiz, M.T. The interstellar extinction in the open clusters Tr14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry, **232**, 661
Tassoul, M. *see* Tassoul, J.-L.
Tassoul, M., Tassoul, J.-L. On the reflection effect in non-synchronous binary components, **232**, 481
Turner, M.J.L. *see* Warwick, R.S.

Turner, T.J., Pounds, K.A. Variability of the soft excess in the Seyfert I galaxy Mkn 335, **232**, 463

Verbunt, F. *see* Livio, M.

Walton, N.A. *see* Reay, N.K.
Warren-Smith, R.F. *see* Scarrott, S.M.
Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R. A survey of the galactic plane with *EXOSAT*, **232**, 551
Warwick, R.S. *see* George, I.M.
Watson, F.A. *see* Mason, K.O.
Watson, M.G. *see* Warwick, R.S.
White, N.E. *see* Smale, A.P.
Whitehurst, R. Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs, **232**, 35
Whittle, M. *see* Moss, C.
Wiechen, H., Ziegler, H.J., Schindler, K. Relaxation of collisionless self-gravitating matter: the lowest energy state, **232**, 623
Willingale, R. *see* Warwick, R.S.
Wood, K.S., Michelson, P.F. Delayed gravity wave emission from supernovae: application to SN 1987 A, **232**, 225
Wright, A.E. *see* Allen, D.A.
Wright, G.S. *see* Joseph, R.D.

Zamorani, G. *see* Marano, B.
Ziegler, H.J. *see* Wiechen, H.
Zitelli, V. *see* Marano, B.

SUBJECT INDEX

Accretion and accretion discs

Numerical studies of the dynamical stability of differentially rotating tori (Frank, J., Robertson, J.A.), **232**, 1
Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Accretion disc boundary layers – geometrically and optically thin case (Regev, O., Hougerat, A.A.), **232**, 81
Angular momentum transfer in non-axisymmetric accretion (Ho, C.), **232**, 91
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Variability of the soft excess in the Seyfert I galaxy Mkn 335 (Turner, T.J., Pounds, K.A.), **232**, 463
Bimodal accretion in GX5-1 and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
X-ray observations of the 50-min dipping source XB1916 − 053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P

BL Lac objects

X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Supermassive black hole or nuclear bar in M13? (Gerhard, O.E.), **232**, 13P

Celestial mechanics

Numerical studies of the dynamical stability of differentially rotating tori (Frank, J., Robertson, J.A.), **232**, 1
Derivation of the density distribution in a prolate galaxy from the rotation curve (de Zeeuw, P.T., Lynden-Bell, D.), **232**, 419
Relaxation of collisionless self-gravitating matter: the lowest energy state (Wiechen, H., Ziegler, H.J., Schindler, K.), **232**, 623
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
Realistic models for evolving globular clusters: core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N.), **232**, 835

Cosmic rays

Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323

Cosmology

A new sample of quasars to B=22.0 (Marano, B., Zamorani, G., Zitelli, V.), **232**, 111
Tidal torques and local density maxima (Heavens, A.), **232**, 339
Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function (Efstathiou, G., Ellis, R.S., Peterson, B.A.), **232**, 431
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
Photon-starved, pair-loaded compact sources and the X-ray background (Fabian, A.C., Done, C., Ghisellini, G.), **232**, 21P

Galactic Centre

Millimetre-wave continuum observations of the Galactic Centre (Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W.), **232**, 407

Galactic structure and stellar dynamics

Derivation of the density distribution in a prolate galaxy from the rotation curve (de Zeeuw, P.T., Lynden-Bell, D.), **232**, 419
A survey of the galactic plane with *EXOSAT* (Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R.), **232**, 551
Relaxation of collisionless self-gravitating matter: the lowest energy state (Wiechen, H., Ziegler, H.J., Schindler, K.), **232**, 623
Ellipticity and twisting of isophotes in a dissimilar system (Moreno, E., Pişmiş, P.), **232**, 705
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
Supermassive black hole or nuclear bar in M13? (Gerhard, O.E.), **232**, 13P

Galaxies

A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215

Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367 (Moss, C., Whittle, M., Irwin, M.J.), **232**, 381
Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function (Efstathiou, G., Ellis, R.S., Peterson, B.A.), **232**, 431
Ellipticity and twisting of isophotes in a dissimilar system (Moreno, E., Pişmiş, P.), **232**, 705
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
MCG 06−45−001: a possible new member of the Local Group? (Beck,S., Brosch, N.), **232**, 27P

Galaxies – active

Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Profiles of emission lines in AGN – I. Observations of [O III] lines (Busko, I.C., Steiner, J.E.), **232**, 525
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Do Markarian 'double nucleus' galaxies have two nuclei? The case of Mkn 788 (Joseph, R.D., Wright, G.S., James, P.A., McLean, I.S.), **232**, 7P

Galaxies – formation of

Tidal torques and local density maxima (Heavens, A.), **232**, 339
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853

Galaxies – nuclei of

Profiles of emission lines in AGN – I. Observations of [O III] lines (Busko, I.C., Steiner, J.E.), **232**, 525
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Supermassive black hole or nuclear bar in M13? (Gerhard, O.E.), **232**, 13P

Galaxies – Seyfert

Variability of the soft excess in the Seyfert I galaxy Mkn 335 (Turner, T.J., Pounds, K.A.), **232**, 463

Galaxy clusters

Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367 (Moss, C., Whittle, M., Irwin, M.J.), **232**, 381
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853

Gravitation and gravitational radiation

Delayed gravity wave emission from supernovae: application to SN 1987 A (Wood, K.S., Michelson, P.F.), **232**, 225

Herbig – Haro object

Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725

Infrared astronomy

A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35
Near-infrared observations of GGD objects (Carballo, R., Eiroa, C., Mampaso, A.), **232**, 497
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
The interstellar extinction in the open clusters Tr14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
MCG 06−45−001: a possible new member of the Local Group? (Beck,S., Brosch, N.), **232**, 27P

Interstellar grains

A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215
The interstellar extinction in the open clusters Tr14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661

Interstellar medium

A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565

Magellanic Clouds

A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35

Meteors

Cluster ions and the meteor head echo (Jones, J., Mitchell, J.B.A., McIntosh, B.A.), **232**, 771

Molecules and molecular clouds

Chemistry in the ejecta of novae (Rawlings, J.M.C.), **232**, 507
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615

Nebulae – gaseous

Near-infrared observations of GGD objects (Carballo, R., Eiroa, C., Mampaso, A.), **232**, 497

Nebulae – planetary

Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615

Nebulae – reflection

Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725

Neutron stars

An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Bimodal accretion in GX5-1 and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303

Novae

Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Chemistry in the ejecta of novae (Rawlings, J.M.C.), **232**, 507
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P

Photometry – non-stellar

Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303

Physical processes

Angular momentum transfer in non-axisymmetric accretion (Ho, C.), **232**, 91
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Tidal torques and local density maxima (Heavens, A.), **232**, 339
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565

A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P
Photon-starved, pair-loaded compact sources and the X-ray background (Fabian, A.C., Done, C., Ghisellini, G.), **232**, 21P

Polarization of starlight

Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725

Pulsars

Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865

Quasars

A new sample of quasars to B=22.0 (Marano, B., Zamorani, G., Zitelli, V.), **232**, 111

Radio astronomy

Millimetre-wave continuum observations of the Galactic Centre (Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W.), **232**, 407
Cluster ions and the meteor head echo (Jones, J., Mitchell, J.B.A., McIntosh, B.A.), **232**, 771

Relativity

On the stability and physical properties of an exact relativistic model for a superdense star (Knutsen, H.), **232**, 163
Relativistic stellar pulsations in the Cowling approximation (Finn, L.S.), **232**, 259
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473

Spectroscopy

Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763

Stars – atmospheres of

On the reflection effect in non-synchronous binary components (Tassoul, M., Tassoul, J.-L.), **232**, 481

Stars – binary

Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Bimodal accretion in GX5-1 and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
General properties of RS CVn systems (Montesinos, B., Giménez, A., Fernández-Figueroa, M.J.), **232**, 361
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473
On the reflection effect in non-synchronous binary components (Tassoul, M., Tassoul, J.-L.), **232**, 481
X-ray observations of the 50-min dipping source XB1916−053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P

Stars – chemical composition of

Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821

Stars – clusters of

Photoelectric and electronographic photometry of the globular cluster NGC 1851 (Sagar, R., Cannon, R.D., Hawkins, M.R.S.), **232**, 131

The interstellar extinction in the open clusters Tr14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661
Realistic models for evolving globular clusters: core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N.), **232**, 835

Stars – formation of

Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809

Stars – magnetic fields in

Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809

Stars – mass loss from

Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821

Stars – photometry of

A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35
Photoelectric and electronographic photometry of the globular cluster NGC 1851 (Sagar, R., Cannon, R.D., Hawkins, M.R.S.), **232**, 131
Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris (Kilkenny, D.), **232**, 377
The interstellar extinction in the open clusters Tr14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865

Stars – rotation of

Overstable convective modes of differentially rotating massive main-sequence stars (Lee, U.), **232**, 711

Stars – spectroscopy of

Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865

Stars – structure and evolution of

On the stability and physical properties of an exact relativistic model for a superdense star (Knutsen, H.), **232**, 163
General properties of RS CVn systems (Montesinos, B., Giménez, A., Fernández-Figueroa, M.J.), **232**, 361
Overstable convective modes of differentially rotating massive main-sequence stars (Lee, U.), **232**, 711

Stars – symbiotic

A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683

Stars – variable

Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 53

Relativistic stellar pulsations in the Cowling approximation (Finn, L.S.), **232**, 259
Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris (Kilkenny, D.), **232**, 377
A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779

Supernovae and supernova remnants

Delayed gravity wave emission from supernovae: application to SN 1987 A (Wood, K.S., Michelson, P.F.), **232**, 225
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323

Ultraviolet astronomy

A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793

X-ray astronomy

An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Variability of the soft excess in the Seyfert I galaxy Mkn 335 (Turner, T.J., Pounds, K.A.), **232**, 463
Bimodal accretion in GX5-1 and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
A survey of the galactic plane with *EXOSAT* (Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R.), **232**, 551
X-ray observations of the 50-min dipping source XB1916−053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865
Photon-starved, pair-loaded compact sources and the X-ray background (Fabian, A.C., Done, C., Ghisellini, G.), **232**, 21P